

SaferFarm.org – Farm Hazard Analysis Tool

Agri-Retail

Christmas Tree Sales Parking/Lighting



Least Protection

1. Roadside or berm parking; no traffic flow signs; pedestrians cross road or walk in roadway to Christmas tree market; no lighting.
2. Gravel surfaced, limited pull-off parking area on the side of the road; no traffic flow signs; pedestrians may cross road or walk near roadway to Christmas tree market; lighting 8-12 feet above ground.
3. No designated parking; gravel surfaced within 20 feet of road; single ingress and egress with no traffic flow markers; parking on the same side as the Christmas tree market; lighting 12-16 feet above ground.
4. Designated, gravel surfaced parking at least 20 feet off road; single ingress and egress with traffic flow markers; parking on the same side as the Christmas tree market; lighting at least 16 feet above ground.
5. Designated, paved parking at least 20 feet off road; separate ingress and egress with traffic flow markers; parking on the same side as the Christmas tree market; lighting at least 16 feet above ground.

Most Protection

Item:	Item:	Item:	Item:	Item:
O1	O1	O1	O1	O1
O2	O2	O2	O2	O2
O3	O3	O3	O3	O3
O4	O4	O4	O4	O4
O5	O5	O5	O5	O5

Farm:

Inspector:

Date:

SaferFarm.org – Farm Hazard Analysis Tool

Agri-Retail

Christmas Tree Sales

Least Protection

1. Producer supplies customer with chain saw or axe; verbal directions to tree sites only; no tree cart provided for customer's use.
2. Producer supplies customer with hand saw; verbal directions to tree site only; no tree cart provided for customer's use.
3. Producer harvests some trees by cutting or digging; customer can select and cut a tree by hand with no supervision; directions and safety rules posted/verbally presented; tree cart available for customer's use.
4. Producer harvests some trees, bales or balls and burlaps, and loads trees for customer; customer can select and cut their own trees with a hand saw with supervision; tree cart available for customer's use.
5. Producer harvests, bales or balls and burlaps, and loads trees for customer.

Most Protection



Item:	Item:	Item:	Item:	Item:
O1	O1	O1	O1	O1
O2	O2	O2	O2	O2
O3	O3	O3	O3	O3
O4	O4	O4	O4	O4
O5	O5	O5	O5	O5

Farm:

Inspector:

Date:

SaferFarm.org – Farm Hazard Analysis Tool

Agri-Retail

Roadside Market Parking/Lighting

Least Protection

1. Roadside or berm parking; no traffic flow signs; pedestrians cross road or walk in roadway; no lighting.
2. Gravel surfaced, limited pull-off parking on the side of the road; no traffic flow signs; pedestrians may cross road or walk near roadway; lighting 8-12 feet above ground.
3. No designated parking; gravel or paved surface within 20 feet of road; single ingress and egress with no traffic flow markers; parking on the same side as the market; lighting 12-16 feet above ground.
4. Designated, gravel surfaced parking at least 20 feet off road; single ingress and egress with traffic flow markers; parking on the same side as the market; lighting at least 16 feet above ground.
5. Designated, paved parking at least 20 feet off road; separate ingress and egress with traffic flow markers; parking on the same side as the market; lighting at least 16 feet above ground.

Most Protection



Item:	Item:	Item:	Item:	Item:
O1	O1	O1	O1	O1
O2	O2	O2	O2	O2
O3	O3	O3	O3	O3
O4	O4	O4	O4	O4
O5	O5	O5	O5	O5

Farm: _____

Inspector: _____

Date: _____

SaferFarm.org – Farm Hazard Analysis Tool

Agri-Retail

U-Pick Parking Area/Lighting

Least Protection

1. Roadside or berm parking; no traffic flow signs; pedestrians cross road or walk in roadway; no lighting, but some dusk activity.
2. Grass surfaced, limited pull-off parking area on the side of the road; no traffic flow signs; pedestrians may cross road or walk near roadway; no lighting, but some dusk activity.
3. No designated parking; gravel surfaced within 20 feet of road; single ingress and egress with traffic flow markers; parking on the same side as the harvest area; no lighting and no night activity, but some dusk activity.
4. Designated, gravel or fine aggregate surfaced parking area at least 20 feet from road; separate ingress and egress with traffic flow markers; parking on the same side as the harvest area; dusk to dawn lighting in parking area or no night activity.
5. Designated, paved parking area at least 20 feet from road; separate ingress and egress with traffic flow markers; parking on the same side as the harvest area; dusk to dawn lighting in parking area or no night activity.

Most Protection



Item:	Item:	Item:	Item:	Item:
O1	O1	O1	O1	O1
O2	O2	O2	O2	O2
O3	O3	O3	O3	O3
O4	O4	O4	O4	O4
O5	O5	O5	O5	O5

Farm: _____

Inspector: _____

Date: _____

SaferFarm.org – Farm Hazard Analysis Tool

Agri-Retail

U-Pick Tree Fruit



Least Protection

1. Customer brings aluminum or wooden ladder; no instruction or supervision by grower; produce carried to check-out station in customer-owned containers by customer.
2. Aluminum or wooden ladder provided; customer moves and uses ladder; no instructions provided; produce carried to check-out station in customer-owned containers by customer.
3. Aluminum ladders provided; customer moves and uses ladder; grower instructions provided; produce carried to check-out station in customer-owned containers by customer.
4. Aluminum ladders provided and set up by grower or representative; instruction provided; releases signed; warning signs posted; produce carried and/or transported by cart in company owned containers to check-out station by
5. No ladders used; picking from ground level only; grower or representative in direct supervision; produce carried and/or transported in company owned containers to check-out station by employee.

Most Protection

Item:	Item:	Item:	Item:	Item:
O1	O1	O1	O1	O1
O2	O2	O2	O2	O2
O3	O3	O3	O3	O3
O4	O4	O4	O4	O4
O5	O5	O5	O5	O5

Farm: _____

Inspector: _____

Date: _____